Trojan Transport Spares (Aust.)

An overview of new transfer hose solution for the wine industry

NEW TRANSFER HOSES

VENDANGE



It was succesfully tested in wineries in Languedoc and Bordeaux . Testing users all acknowledged its **flexibility,** and said it is **light** and **handy** compared to any steel elbow or pipe and even PVC hoses.

Designed to be used in ID 125 & 150mm for **vintage delivery, tank loading & transfer of grapes**

Vendange Truly offers Total flexibilty and ease of handling.

Vendange Hose specs

I.D Millimeter	O.D. Millimeter	WP Bar	BP Bar	Bend Radius	kg/m	Len.	Fitting Avail
100mm	117mm	6bar	18bar Burst	140mm (radius)	3.45kg Per mtr	20mtrs 40mtrs	Yes Swaged
125mm	142.5mm	6bar	18bar Burst	170mm (radius)	4.26kg Per mtr	10mtrs 20mtrs	Yes Swaged
150mm	167.5mm	6bar	18Bar	200mm (radius)	5.15kg Per mtr	10mtrs 20mtrs	Yes Swaged

VINITRELL

1. Ensure hygiene

- More Flexibility
- Lightweight design
- Durability
- New polymer based coating
- Odorless/tasteless inner tube.
- Easy to handle

Vinitrell

Has been developed with the processor in mind

-lighter weight retaining the bending ability

-Increased wear resistance

Vinitrell Hose Specs

I.D Millimeter	O.D. Millimeter	WP Bar	BP Bar	Bend Radius	kg/m	Len.	Fitting Avail
50mm	65mm	10bar	30bar Burst	100mm (radius)	1.57kg Per mtr	20mtrs 40mtrs	Yes Swaged
63mm	77mm	10bar	30bar Burst	130mm (radius)	1.87kg Per mtr	20mtrs 40mtrs	Yes Swaged
70mm	86.5mm	10bar	30bar Burst	140mm (radius)	2.42kg Per mtr	20mtrs 40mtrs	Yes Swaged
76mm	91.5mm	10bar	30Bar	150mm (radius)	2.54kg Per mtr	20mtrs 40mtrs	Yes Swaged

THE FACTS

- Vendange designed for 100mm to 150mm transfer specifically for light weight and flexible handling
- Vinitrell designed for general suction/delivery designed to slide over rough surfaces with ease while remaining light and with a tight bending radius

Trojan Transport Spares

Complimentary methods to increase life and handling of hose assemblies

Trojan Transport Spare has the ability to Swage Food grade assemblies with pressure rated easy to handle ends at all sizes including 150mm

Swaged on stainless steel coupling

1. Ensure hygiene

- **TRELLEBORG's own designed swaging solution *(smoothness hose/coupling)* has many advantages**

- ***it ensures thorough cleaning***

- ***No retention area, preventing growth of any***
  - ***bacteria,***
  - ***mould,***
  - ***etc.***



Swaged on stainless steel coupling

1. Ensure hygiene



Swaged-on coupling



Under pressure



Clamped-on Coupling



Swaged on stainless steel coupling

1. Ensure hygiene



Swaged-on coupling



Under bending



Clamped-on Coupling



Rubberized BSM Nuts

- The New Handling solution
- No More Spanners
- Improved Handling safety (no sharp edges)
- Able to have enough purchase to squash ‘o’ rings

Actual nut varies to picture

Rubberized Nuts

- Can be changed over from general BSM hex/round nuts
- Abrasive resistant (will wear well)
- Will bounce rather than bend stainless thread (no trying to file thread back or bash nut back into shape

Trojan Transport Spares (Aust.)

- We remain committed to continuous improvement through Innovation and simplicity
- Committed to improving safety and handling in the wine and related industries
- Vow to continue to bring customers the best in service and support
- **All products show in presentation available for viewing at Trojan Transport Spares current display in exhibition area.**

Trojan Transport Spares

P.O. Box 55
Moama Business Park
Cobb Hwy
Moama
NSW 2731
Ph +61 3 5482 0622
F +61 3 5482 0667
E trojan@byfordequipment.com.au